Docusign Envelope ID: E76CD59B-778C-8AD6-817D-80FC274FD0A1

FORM R405-2023

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE INDEX* = 87

The lower the EnergyPerformance Index, the more efficient the home.

,Okeechobee,FL,34974

1. New construction or existing		New (From Plans)
2. Single family or multiple family		Detached
3. Number of units, if multiple family		1
4. Number of Bedrooms		5
5. Is this a worst case?		Yes
6. Conditioned floor area above grade (ft²)		4056
Conditioned floor area below grade (ft²)		0

7. Windows**	Description	Area
a. U-Factor:	Dbl, U=1.06	168.00 ft²
SHGC:	SHGC=0.27	
b. U-Factor:	Dbl, U=0.58	91.00 ft²
SHGC:	SHGC=0.23	
c. U-Factor:	Dbl, U=1.09	26.00 ft²
SHGC:	SHGC=0.27	
Area Weighted Average Overhang Depth:		0.000 ft
Area Weighted Average SHGC:		0.263

8. Skylights	Description	Area
U-Factor:(AVG)	N/A	N/A ft²
SHGC(AVG):	N/A	

9. Floor Types	Insulation	Area
a. Slab-On-Grade Edge Insulation	R= 0.0	1848.00 ft²
b. Raised Floor	R= 13.0	360.00 ft²
c. N/A	R=	ft²

10. Wall Types(4118.3 sqft.)	Insulation	Area
a. Concrete Block - Int Insul, Exterior	R=0.0	3818.20 ft²
b. Frame - Wood, Adjacent	R=13.0	300.03 ft²
c. N/A		
d. N/A		

11. Ceiling Types(2208.0 sqft.)	Insulation	Area
a. Flat ceiling under att (Vented)	R=38.0	2208.00 ft²
b. N/A		
c. N/A		

12. Roof(Comp. Shingles, Vented)	Deck R=0.0	2392 ft²

13. Ducts, location & insulation level	R	ft²
a. Sup: Second Fl, Ret: Second Fl, AH: First Flo	8	377
b. Sup: Attic, Ret: Attic, AH: Second Fl	8	597
c.		

14. Cooling Systems	kBtu/hr	Efficiency
a. Central Unit	24.1	SEER2:18.20
b. Central Unit	36.0	SEER2:16.20

15. Heating Systems	kBtu/hr	Efficiency
a. Electric Heat Pump	28.4	HSPF2:9.70
b. Electric Heat Pump	36.0	HSPF2:8.70

16. Hot Water Systems	
a. PropaneTankless	Cap: 1 gallons UEF: 0.950
b. Conservation features	
Recirc(Demand control(pres. sens.)	
17. Credits	Pstat

I certify that this home has complied with the Florida Energy Efficiency Code for Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature: _____ Date: 8/22/26

Address of New Home: 1875 Rashi Dr. City/FL Zip: Okeechobee,FL,34974



*Note: This is not a Building Energy Rating. If your Index is below 70, your home may qualify for energy efficient mortgage (EEM) incentives if you obtain a Florida Energy Rating. For information about the Florida Building Code, Energy Conservation, contact the Florida Building Commission's support staff.

**Label required by Section R303.1.3 of the Florida Building Code, Energy Conservation, if not DEFAULT.